

1300 239 206 sales@triline.net.au triline.net.au



THE FLUSH DOOR JAMB SYSTEM

EzyJamb® flush finish door jamb systems create seamless clean lines and eliminates the need for architraves around the door frame. Providing a modern and defining feature to your project; EzyJamb conceals the door frame and creates square set interiors, as the unique frameless jamb system wraps the plasterboard during framing and blends seamlessly with the wall.

Manufactured by Studco Building Systems®, EzyJamb and is made from premium galvanized steel, to offer a steel door jamb that is more durable solution to traditional timber jambs. EzyJamb is specialty coated and readily accepts a level 5 finish, achieving a smooth transition between the wall and door face.

EzyJamb has successfully surpassed the 10,000 'Door Slam' Test, so you can rest easy knowing you're investing in a quality product for your project.

CONTACT DETAILS


- P 03 6272 9861
- P 1300 239 206
- E sales@triline.net.au

triline.net.au



EZC | CLASSIC ADJUST SPLIT TYPE JAMB

EzyJamb Classic Adjust – EZC is a split-type door jamb system that creates inconspicuous clean lines to complete the contemporary look of architectural spaces.



SRC | SINGLE REBATE DOOR FRAME

The premium design of the EzyJamb SRC provides a smooth transition from one side of the door jamb, resulting in a trimless door for a minimalistic sophistication in apartments, homes and commercial buildings.



ISD | INSWING DOOR FRAME

EzyJamb ISD is ideal for creating flush doors along a wall face, but allows them to open inwardly, including hallways and corridors.

EZC | CLASSIC ADJUST SPLIT TYPE JAMB

EzyJamb® Classic Adjust – EZC is a flush door jamb system, for creating an architrave-free door to complete the contemporary look of modern architectural spaces.

This two-piece jamb is adjustable to allow for various wall thicknesses, ensuring a smooth finish along the wall face.

EzyJamb is manufactured by Studco Building Systems® and is made from premium BlueScope steel, to offer a more durable solution to traditional timber jambs. EzyJamb has successfully surpassed the 10,000 'Door Slam' Test, so you can rest easy knowing you're investing in a quality product for your project.



Ordering Info


HINGE HANDING EXAMPLE:

LEFT HAND

RIGHT HAND

EZC Frame	Hinge Type	Hinge Qty for Door Height up to 2040mm	Hinge Qty for Door Height up to 2340mm	Hinge Qty for Door Height up to 3000mm
Single Frame - Door Width 520- 620-720-770-820mm	Herline Hinges, Lift Off Hinges, Concealed Hinges	2	3	4
Single Frame - Door Width 870- 920mm	Herline Hinges, Lift Off Hinges, Concealed Hinges	2	3	4
Double Frame - Door Width 620- 720-770-820-920mm	Herline Hinges, Lift Off Hinges, Concealed Hinges	2	3	4
Full Height Jamb - No Header (Available upon request)				
Custom Frame Sizes (Available upon request)				





FEATURES

- Wraps the plasterboard during framing to conceal fixings and incorporate the door into the wall face.
- Adjustable width to match the thickness of the wall for a secure fit.
- Made from the renowned BlueScope Steel
- Simple to install and meets the finished surfaces standard AS/NZS 2311:2009 to ensure they can be painted immediately.
- Complemented by RocYork Hinges that are designed and tested to withstand heavy traffic flow.
- Available in standard 2040mm & 2340mm, full height or custom heights and widths.

SRC | SINGLE REBATE DOOR FRAME

Give your project a clean-cut architrave free edge with the EzyJamb® Single Rebate door frame (SRC). The EzyJamb SRC allows the door to sit flush from the side of the door that houses the hinges, with a single rebate on the other side.

The premium design of the EzyJamb SRC provides a smooth transition from one side of the door jamb allowing a minimalistic sophistication in apartments, homes and commercial buildings.



Ordering Info


HINGE HANDING EXAMPLE:





SRC Frame	Hinge Type	Hinge Qty for Door Height up to 2100mm	Hinge Qty for Door Height up to 2400mm	Hinge Qty for Door Height up to 3000mm
Single Frame - Door Width 520- 620-720-770mm	Herline Hinges, 100mm Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	2	3	4
Single Frame - Door Width 820- 870-920-1020mm	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	2	3	4
Double Frame - Door Width 620- 720-770-820-920mm	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	4	6	8
Full Height Jamb - No Header	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	-	3	4
Custom Frame Sizes (Available upon request)				





FEATURES

- Rebated on only one side of the door stop, to allow the door to be installed flush with the side of the wall that houses the hinges.
- Wraps the plasterboard during framing to conceal fixings and incorporate the door into the wall face.
- Made from the renowned BlueScope Steel
- Simple to install and meets the finished surfaces standard AS/NZS 2311:2009 to ensure they can be painted immediately.
- Complemented by RocYork Hinges that are designed and tested to withstand heavy traffic flow.
- Available in full height or custom heights and widths.

ISD | INSWING DOOR FRAME

EzyJamb® Inswing Door – ISD is the ultimate door jamb system to achieve a seamless look in hallways and corridors.

Contrary to traditional door jambs, EzyJamb ISD allows the door to swing open into the corresponding room, and can be installed flush in line with the wall face, hiding the appearance of doors along the wall. Take your project to the next level with the smooth finishes made possible with EzyJamb ISD.




Ordering Info

HINGE HANDING EXAMPLE:



ISD Frame	Hinge Type	Hinge Qty for Door Height up to 2100mm	Hinge Qty for Door Height up to 2400mm	Hinge Qty for Door Height up to 3000mm
Single Frame - Door Width 520- 620-720-770mm	Herline Hinges, 100mm Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	2	3	4
Single Frame - Door Width 820- 870-920-1020mm	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	2	3	4
Double Frame - Door Width 620- 720-770-820-920mm -1020mm	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	4	6	8
Full Height Jamb - No Header	Herline Hinges, 100m Mortice Hinges, RY60 Concealed Hinges, RY80 Concealed Hinges	-	3	4





FEATURES

- Flush finish door jamb system.
- Custom made to perfectly fit your wall thickness.
- Available with RocYork Concealed or Mortice Butt Hinges.
- Wraps the plasterboard during framing to incorporate the door into the wall.
- Manufactured in Australia by Studco Building Systems®, using BlueScope steel.
- Available in custom heights and widths to suit your door requirements.
- Prepped and ready to be painted immediately.
- Designed and tested to withstand heavy traffic flow.

OPEN UP A WHOLE NEW RANGE OF SPACE SAVING, LIFESTYLE ENHANCING POSSIBILITIES





















triline.net.au

